

# Powerful Performance. Winning Results.



# **SHOWPIG 709**

Honor® Show Chow® SHOWPIG 709 feed is designed for growing/developing show pigs weighing 50 lbs. and up.

Honor® Show Chow® SHOWPIG 709 feed is a moderate protein, high energy feed formulated for ultra-modern show pigs needing muscle, cover, and body.

Formulated for ultra-modern show pigs needing muscle, cover and body, SHOWPIG 709 feed is a 18% protein, 6.5% crude fat, 1.1% lysine feed in a 3/32" pellet designed for greater intake.

Honor® Show Chow® SHOWPIG 709 feed is supported by Purina. Get your pigs on SHOWPIG 709 feed today so you can unleash your genetic investment.

FEATURES	BENEFITS	
Formulated for optimum growth and optimum muscle deposition	Allows pigs to reach their full genetic potential	
High energy formula	Allows pigs to continue adding soft muscle at heavier weight	
Steam rolled oats	Very digestible, great source of nutrients for pigs	
Ultra proteins	Provide very high quality amino acid content	
Ideal protein formulation	Provides accurate and predictable essential amino acid intakes	
3/32" pellets	Extremely small pellet for improved intake and pellet quality	
Available with Lincomycin	For treatment of swine dysentery and control of porcine proliferative enteropathies (iletus)	
TASCO®	Helps lower body temperature during periods of heat stress helping to keep pigs on feed during warm weather	



Regional Availability

Check your current price list for availability in your region, or contact your local Purina Dealer or Representative for more information.

# **SHOWPIG 709 L100**

## **GUARANTEED ANALYSIS**

Crude Protein, %		(min)	18.0
Lysine, %		(min)	1.10
Crude Fat, %		(min)	6.50
Crude Fiber, %		(max)	5.00
Calcium, %	(Ca)	(min)	0.50
Calcium, %	(Ca)	(max)	1.00
Phosphorous, %	(P)	(min)	0.50
Salt, %	(NaCI)	(min)	0.20
Salt, %	(NaCI)	(max)	0.70
Selenium, ppm	(Se)	(min)	0.30
Zinc, ppm	(Zn)	(min)	240

Medicated for reduction in the severity of swine Mycoplasmal pneumonia caused by Mycoplasma hyopneumoniae.

Active Drug Ingredient: Lincomycin 100 g/ton (As lincomycin hydrochloride)

### FEEDING DIRECTIONS

Feed as the sole ration for 21 days.

Feed to growing swine being fed for show purposes from 50 pounds and up.

#### **Caution:**

Occasionally, swine fed lincomycin may within the first two days after the onset of treatment develop diarrhea and/or swelling of the anus. On rare occasions, some pigs may show reddening of the skin and irritable behavior. These conditions have been self-correcting within five to eight days without discontinuing the lincomycin treatment. The effects of Lincomycin on swine reproductive performance, pregnancy and lactation have not been determined. Do not allow rabbits, hamsters, guinea pigs, horses, or ruminants access to feeds containing lincomycin. Ingestion by these species may result in severe gastrointestinal effects. Not to be fed to swine that weigh more than 250 lb.

DO NOT FEED TO SHEEP DUE TO HIGH LEVELS OF COPPER.

#### **Special Considerations:**

Protect from excessive temperatures (temperatures that exceed  $40^{\circ}$  C or  $104^{\circ}$  F) Do not store at warm temperatures up to  $104^{\circ}$  F ( $40^{\circ}$  C) for more than 7 days.